

BELTOR

CHEVRONS
SIDEWALLS
CLEATS



www.beltor.pl

BELTOR


chevron 17 mm

t - profile pitch, standard t = 300 mm

Y - inner chevron width

b - total chevron width

B - belt width



Belt width B [mm]	Total chevron width b [mm]	Inner chevron width Y [mm]
400	360	360
500	360	360
	440	440
600, 650	440	440
	520	520
800	520	520
	620	360
	700	440
1000	740	360
	820	440
	900	520
1200	1000	360
	1080	440
1400	1160	520
1600	1440	520

BELTOR S.C.

Ul. Kobierzycka 12
55-040 Wierzbice
Poland

tel. +48 71 725 6135

beltor@beltor.pl
www.beltor.pl



Partners in Productivity

AUTORYZOWANY PARTNER

FENNER DUNLOP
CONVEYOR BELTING

BELTOR


chevron 32 mm

t - profile pitch, standard t = 300 mm

Y - inner chevron width

b - total chevron width

B - belt width



Belt width B [mm]	Total chevron width b [mm]	Inner chevron width Y [mm]
500	450	450
600		
650		
800	600	600
	700	450
	700	450
1000	770	450
	850	600
	920	600
1200	1020	450
	1020	450
1400	1170	600
	1170	600
1600	1170	600

BELTOR S.C.

Ul. Kobierzycka 12
55-040 Wierzbice
Poland

tel. +48 71 725 6135

beltor@beltor.pl
www.beltor.pl



Partners in Productivity

AUTORYZOWANY PARTNER

FENNER DUNLOP
CONVEYOR BELTING



BELTOR

split chevron 16 mm

b - total chevron width

B - belt width

t - profile pitch



Belt width B [mm]	Total chevron width b [mm]	Inner chevron width Y [mm]
400	360	200
500	360, 430	200
600	430, 500, 570	200
650	500, 570	200
800	640, 710	200, 250
1000	790, 860, 935	200, 250, 300
1200	935, 1005, 1080	300, 350
1400	1225, 1300	350
1600	1370, 1440, 1515	350
2000	1515, 1660, 1805	350

BELTOR S.C.

Ul. Kobierzyska 12
55-040 Wierzbice
Poland

tel. +48 71 725 6135

beltor@beltor.pl
www.beltor.pl



Partners in Productivity

AUTORYZOWANY PARTNER

FENNER DUNLOP
CONVEYOR BELTING



BELTOR

split chevron 16 mm with side bars

b - total chevron width

B - belt width

t - profile pitch



Belt width B [mm]	Total chevron width b [mm]	Inner chevron width Y [mm]
400	350	200
500	420	200
600	495, 595	200
650	565, 640	200
800	710, 785	200, 260
1000	855, 930	200, 260
1200	1000, 1075, 1145	260
1400	1220, 1290, 1365	260, 320

BELTOR S.C.

Ul. Kobierzyska 12
55-040 Wierzbice
Poland

tel. +48 71 725 6135

beltor@beltor.pl

www.beltor.pl



Partners in Productivity

AUTORYZOWANY PARTNER

FENNER DUNLOP
CONVEYOR BELTING

BELTOR


split chevron 25 mm

Profil Jodełka 25mm BELTOR

B – szerokość taśmy

b – szerokość jodełki

t – podziółka jodełki,
standardowo t=250mm



Belt width B [mm]	Total chevron width b [mm]	Inner chevron width Y [mm]
500	380, 450	250
600	450, 525	250
650	450, 525, 600	250
800	600, 670, 750	250
1000	750, 820, 900	250, 300
1200	900, 970, 1040	250, 300
1400	1115, 1190, 1260	250, 300
1600	1260	250, 300

BELTOR S.C.

Ul. Kobierzyska 12
55-040 Wierzbigie
Poland

tel. +48 71 725 6135

beltor@beltor.pl
www.beltor.pl



Partners in Productivity

AUTORYZOWANY PARTNER

FENNER DUNLOP
CONVEYOR BELTING


BELTOR

split chevron 32 mm

b - total chevron width

B - belt width

t - profile pitch



Belt width B [mm]	Total chevron width b [mm]	Inner chevron width Y [mm]
400	370	250
500	370	250
600, 650	520	250
800	670	250
1000	810	250, 300
1200	960	250, 300
1400	1110	300, 350
1600	1255, 1400	350

BELTOR S.C.

Ul. Kobierzycka 12
55-040 Wierzbiце
Poland

tel. +48 71 725 6135

beltor@beltor.pl
www.beltor.pl



Partners in Productivity



AUTORYZOWANY PARTNER

FENNER DUNLOP
CONVEYOR BELTING

BELTOR

sidewalls 40 - 80 mm

Standard dimensions can be cut down
to requested height



BELTOR S.C.
Ul. Kobierzycka 12
55-040 Wierzbice
Poland

tel. +48 71 725 6135
beltor@beltor.pl
www.beltor.pl





Partners in Productivity

AUTORYZOWANY PARTNER



FENNER DUNLOP
CONVEYOR BELTING

BELTOR



cleat T20



cleat T20 SLIM (side bar)



cleat T32



BELTOR S.C.
Ul. Kobierzyska 12
55-040 Wierzbice
Poland

tel. +48 71 725 6135
beltor@beltor.pl
www.beltor.pl





Partners in Productivity

AUTORYZOWANY PARTNER



FENNER DUNLOP
CONVEYOR BELTING

BELTOR

cleat T40



cleat TB40



BELTOR S.C.
Ul. Kobierzycka 12
55-040 Wierzbice
Poland

tel. +48 71 725 6135
beltor@beltor.pl
www.beltor.pl





Partners in Productivity

AUTORYZOWANY PARTNER



FENNER DUNLOP
CONVEYOR BELTING

BELTOR

cleat T50



cleat T60



BELTOR S.C.
Ul. Kobierzyska 12
55-040 Wierzbice
Poland

tel. +48 71 725 6135
beltor@beltor.pl
www.beltor.pl





Partners in Productivity

AUTORYZOWANY PARTNER



FENNER DUNLOP
CONVEYOR BELTING

BELTOR

cleat T60x30



cleat C60



BELTOR S.C.
Ul. Kobierzycka 12
55-040 Wierzbie
Poland

tel. +48 71 725 6135
beltor@beltor.pl
www.beltor.pl





Partners in Productivity

AUTORYZOWANY PARTNER



FENNER  DUNLOP
CONVEYOR BELTING

BELTOR

guiding profile K17



semi-roller 10 mm



Hot-Vulcanized Profiles—Customizable Quality You Can Count On!

Our range of profiles is hot-vulcanized for superior durability and performance. Choose from standard, oil-resistant, soft, and heatresistant versions to match your exact needs. We also offer customization options for specific parameters, ensuring you get precisely what you're looking for. Thanks to our advanced manufacturing processes, we stand out with exceptional quality and remarkably **short lead times**—perfect for businesses that value both reliability and speed.

BELTOR S.C.
Ul. Kobierzyska 12
55-040 Wierzbice
Poland

tel. +48 71 725 6135
beltor@beltor.pl
www.beltor.pl



Partners in Productivity

AUTORYZOWANY PARTNER

FENNER DUNLOP
CONVEYOR BELTING